

Page 1/6

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ZESTRON® Flux Test
- · UFI: P4X0-R0RM-T00E-2YUD
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Laboratory chemicals
- · Uses advised against No further relevant information available.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

ZESTRON

..a Business Division of Dr.O.K.Wack Chemie GmbH

Untere Au 9

D - 85107 Baar-Ebenhausen

Tel. +49 8453 41995 -300

www.zestron.com

info@ZESTRON.com

- · Further information obtainable from: Safety department
- 1.4 Emergency telephone number: During business hours: +49 8453 41995-501

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description**: Mixture of the substances with nonhazardous additions.
- Dangerous components: None
- · SVHC None
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: No special measures required.
- · After skin contact:

Immediately rinse with water.

Generally the product does not irritate the skin.

(Contd. on page 2)



Page 2/6

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.06.2024 V - 6.0 (replaces version 5.2) Revision: 24.06.2024

Trade name: ZESTRON® Flux Test

(Contd. of page 1)

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None
- · 5.2 Special hazards arising from the substance or mixture None
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

The usual precautionary measures are to be adhered to when handling chemicals.

- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections No dangerous substances are released.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Recommended storage temperature: 5 °C 30 °C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · DNELs Not determined
- · PNECs Not determined
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.

(Contd. on page 3)



Page 3/6

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.06.2024 V - 6.0 (replaces version 5.2) Revision: 24.06.2024

Trade name: ZESTRON® Flux Test

(Contd. of page 2)

- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Hand protection

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

PVC gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

0°C

- · Eye/face protection Safety glasses
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Dark blue · Odour: Odourless · Odour threshold: Not determined

Melting point/freezing point:

· Boiling point or initial boiling point and boiling

100 °C range

· Flammability Not applicable.

· Lower and upper explosion limit

None · Lower: · Upper: None

· Flash point: Not applicable.

· Auto-ignition temperature: None

· Decomposition temperature: Not determined.

· pH (10 g/l) at 20 °C 5.4 +/- 0.5 (DIN 19268)

· Viscosity:

· Kinematic viscosity Not determined Not determined · Dynamic:

· Solubility

Fully miscible. · water: Not determined. · Partition coefficient n-octanol/water (log value) 23 hPa

· Vapour pressure at 20 °C:

· Density and/or relative density

· Density at 20 °C: 1.00 +/- 0.02 g/cm3 (DIN 51757)

· Relative density Not determined. Not determined. · Vapour density

(Contd. on page 4)



Page 4/6

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.06.2024 V - 6.0 (replaces version 5.2) Revision: 24.06.2024

Trade name: ZESTRON® Flux Test

(Contd. of page 3)

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and

environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard. • Molecular weight No further relevant information available.

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water

gases in contact with water Void
Oxidising liquids Void
Oxidising solids Void
Organic peroxides Void
Corrosive to metals Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No dangerous reactions known.
- · 10.2 Chemical stability

Desensitised explosives

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Void

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No dangerous decomposition products known.
- 10.6 Hazardous decomposition products: No decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification: No further relevant information available.
- · Skin corrosion/irritation

Based on available data, the classification criteria are not met.

No irritating effect.

Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

(Contd. on page 5)



Page 5/6

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.06.2024 V - 6.0 (replaces version 5.2) Revision: 24.06.2024

Trade name: ZESTRON® Flux Test

(Contd. of page 4)

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes: Not hazardous for water.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	None	

(Contd. on page 6)



Page 6/6

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.06.2024 V - 6.0 (replaces version 5.2) Revision: 24.06.2024

Trade name: ZESTRON® Flux Test

	(Contd. of page 5)	
· Marine pollutant:	No	
· 14.6 Special precautions for user	None	
· 14.7 Maritime transport in bulk according instruments	to IMO Not applicable	
· Transport/Additional information:	Not dangerous according to the above specifications.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Classification according to Regulation (EC) No 1272/2008 Calculation method
- · Date of previous version: 07.05.2021
- Version number of previous version: 5.2
- * Data compared to the previous version altered.

ΕU